

# Notices to Mariners

Week 9, 2025

26. February 2025

ISSN 1397-999X

Volume 141

121 - 141

## Table of Contents

|  |    |
|--|----|
| 1. Denmark - The Baltic Sea .....              | 2  |
| 2. Denmark - The Sound .....                   | 2  |
| 3. Denmark - The Waters South of Zealand ..... | 3  |
| 4. Denmark - Kattegat .....                    | 3  |
| 5. Denmark - The Liim Fiord .....              | 5  |
| 6. Denmark - The North Sea .....               | 6  |
| 7. Greenland - W-coast .....                   | 6  |
| 8. Announcements, etc. ....                    | 10 |

The longitude is defined by the Greenwich meridian. Positions are shown in degrees, minutes and decimals of minutes. Directions are in true course and directions to lights are given from the sea (from the ship to the light). Heights and depths are given in meters (m), distances in nautical miles (nm) or in meters (m). The title of the EfS may contain the following abbreviations: P = preliminary notice or T = temporary notice. A \* indicates that the notice is based on original information.



**DANISH MARITIME AUTHORITY**

Caspar Brands Plads 9  
4220 Korsør

Tel.: +45 7219 6000

Fax: +45 7219 6001

E-mail: [efs@dma.dk](mailto:efs@dma.dk)

Web: [www.soefartsstyrelsen.dk](http://www.soefartsstyrelsen.dk)

## Denmark - The Baltic Sea

★

NM-141-25 (P)

**Denmark. The Baltic Sea. Rønne Havn. Buoyage to be withdrawn. Buoyage to be moved.**

Details **Week 11 2025**, the buoyage in position 1) and 2) will be withdrawn in order to give more space in the turning basin.

|    |                          |  |
|----|--------------------------|--|
| 1) | 55° 05.6'N - 014° 41.0'E | green spar buoy with topmark Q.G.              |
| 2) | 55° 05.5'N - 014° 41.1'E | yellow spar buoy with cross topmark Fl(3)Y 10s |

The buoyage in position 3) will be moved to position 4)

|    |                          |  |
|----|--------------------------|--|
| 3) | 55° 05.6'N - 014° 41.0'E | yellow spar buoy with cross topmark Fl(3)Y 10s |
| 4) | 55° 05.5'N - 014° 41.0'E |  |

The buoyage in position 5) will be moved to position 6)

|    |                          |                                     |
|----|--------------------------|-------------------------------------|
| 5) | 55° 05.5'N - 014° 41.0'E | yellow spar buoy with cross topmark |
| 6) | 55° 05.5'N - 014° 41.1'E |                                     |

Charts 189 (INT 1336), 188.

(Port of Rønne and DEMA 26 February 2025. Published 26 February 2025)

## Denmark - The Sound

★

NM-135-25 (T)

**Denmark. The Sound. Copenhagen Harbour. Sydhavnen. Bryggebroen. Construction works. Bridge span closed.**

Details **In the period 17 - 21 March 2025**, the bridge in the mentioned position will be closed for passage requiring opening of the bridge span.

- 55° 39.692'N - 012° 34.002'E, Bryggebroen.

Charts 134 (INT 1334), 133 (INT 1333), 132 (INT 1332), 104, 102 (INT 1302).

Publication [www.danskehavnelods.dk](http://www.danskehavnelods.dk).

(Københavns Kommune 24 February 2025. Published 25 February 2025)

★

NM-129-25 (P)

**Denmark. The Sound. Køge Bugt. Køge SE. Stone reef to be established. Buoyage to be deployed.**

Details **In the period beginning April - ending May 2025**, a stone reef will be established in an area bounded by a line through positions 1) - 4).

The area will be buoyed as stated in position 5).

|    |                              |                          |
|----|------------------------------|--------------------------|
| 1) | 55° 25.739'N - 012° 17.217'E |                          |
| 2) | 55° 25.799'N - 012° 17.228'E |                          |
| 3) | 55° 25.793'N - 012° 17.334'E |                          |
| 4) | 55° 25.733'N - 012° 17.322'E |                          |
| 5) | 55° 25.825'N - 012° 17.284'E | north cardinal spar buoy |

Reduced depths can be expected in the area.

Mariners are requested to pass with caution.

Charts 132 (INT 1332), 104.

(Køge Bugt Stenrev 19 February 2025. Published 21 February 2025)

## Denmark - The Waters South of Zealand

\*

NM-132-25

### Denmark. The Waters South of Zealand. Agersø S. Reduced depth.

References NM-021-25 - (cancelled).

Details Depths of 3.75m exist the mentioned position.

- 55° 10.349'N - 011° 14.438'E.

Charts 143 (INT 1369), 160, 142 (INT 1368), 103 (INT 1303).

(GST 7 January 2025. Published 24 February 2025)

\*

NM-133-25

### Denmark. The Waters South of Zealand. Omø E. Reduced depths.

References NM-022-25 - (cancelled).

Details Depths as stated exists in position 1) - 3).

|    |                              |       |
|----|------------------------------|-------|
| 1) | 55° 09.190'N - 011° 12.852'E | 9,02m |
| 2) | 55° 09.232'N - 011° 14.078'E | 7,26m |
| 3) | 55° 09.024'N - 011° 14.777'E | 9,23m |

Charts 143 (INT 1369), 160, 142 (INT 1368), 103 (INT 1303).

(GST 7 January 2025. Published 24 February 2025)

## Denmark - Kattegat

\*

NM-131-25

### Denmark. Kattegat. Isefjord. Light lit.

References NM-065-25 - (cancelled).

Details • 55° 49.451'N - 011° 44.246'E, Mole head light F.G.

Charts 116, 102 (INT 1302).

Publication Danish List of Lights (Dansk Fyrliste) no 1097 (C0257.8). [www.danskehavnelods.dk](http://www.danskehavnelods.dk).

(Kongsøre Harbour 24 February 2025. Published 24 February 2025)

\*

NM-137-25 (T)

**Denmark. Kattegat. Sejerøbugt. Nekselø Havn. Havnsø Havn. Seismic Surveys. Measuring equipment to be deployed.**

References NM-048-25 - (updated repetition).

Details **Until 30 May 2025**, seismic surveys are being carried out in an area bounded by a line through positions 1) - 7).

|    |                              |
|----|------------------------------|
| 1) | 55° 46.090'N - 011° 22.210'E |
| 2) | 55° 47.449'N - 011° 19.414'E |
| 3) | 55° 47.946'N - 011° 18.010'E |
| 4) | 55° 48.176'N - 011° 16.101'E |
| 5) | 55° 47.281'N - 011° 12.111'E |
| 6) | 55° 46.454'N - 011° 10.222'E |
| 7) | 55° 45.104'N - 011° 09.281'E |

The area is buoyed as stated in positions 8) - 16)

|     |                              |                                  |
|-----|------------------------------|----------------------------------|
| 8)  | 55° 47.898'N - 011° 18.187'E | yellow spherical buoy Fl(5)Y.20s |
| 9)  | 55° 48.081'N - 011° 16.735'E | yellow spherical buoy Fl(5)Y.20s |
| 10) | 55° 47.266'N - 011° 19.777'E | yellow spherical buoy Fl(5)Y.20s |
| 11) | 55° 46.782'N - 011° 20.813'E | yellow spherical buoy Fl(5)Y.20s |
| 12) | 55° 47.976'N - 011° 15.216'E | yellow spherical buoy Fl(5)Y.20s |
| 13) | 55° 45.979'N - 011° 09.864'E | yellow spherical buoy Fl(5)Y.20s |
| 14) | 55° 46.719'N - 011° 10.787'E | yellow spherical buoy Fl(5)Y.20s |
| 15) | 55° 47.273'N - 011° 12.165'E | yellow spherical buoy Fl(5)Y.20s |
| 16) | 55° 47.630'N - 011° 13.695'E | yellow spherical buoy Fl(5)Y.20s |

Within the area a large number of measuring equipment marked with orange balloons in a mesh pattern with a distance of 160m x 160m, has been deployed.

A shipping corridor has been established for marine traffic to Havnsø and Nekselø Harbour.

The corridor is buoyed as stated in positions 17) - 21)

|     |                              |                                  |
|-----|------------------------------|----------------------------------|
| 17) | 55° 47.629'N - 011° 17.955'E | yellow spherical buoy Fl(5)Y.20s |
| 18) | 55° 46.952'N - 011° 18.778'E | yellow spherical buoy Fl(5)Y.20s |
| 19) | 55° 46.857'N - 011° 18.398'E | yellow spherical buoy Fl(5)Y.20s |
| 20) | 55° 46.029'N - 011° 18.897'E | yellow spherical buoy Fl(5)Y.20s |
| 21) | 55° 46.171'N - 011° 19.263'E | yellow spherical buoy Fl(5)Y.20s |

Mariners are requested to pass with caution.

Charts 141 (INT 1370), 128 (INT 1379), 102 (INT 1302).

(COWI A/S 21 February 2025. Published 25 February 2025)

\*

NM-134-25 (T)

**Denmark. Kattegat. Odense Fjord. Gabet. Light unreliable.**

References NM-118-25 - (updated repetition).

Details **Until further notice**, the light in the mentioned position is unreliable.

- 55° 31.8'N - 010° 34.9'E, Skoven, Oc(2)WRG.6s.

Charts 115, 141 (INT 1370), 114 (INT 1377), 103 (INT 1303).

Publication www.danskehavenlods.dk. Danish List of Lights (Dansk Fyrliste) no 2342 (C0890.4).

(Port of Odense 24 February 2025. Published 24 February 2025)

\*

NM-138-25 (T)

**Denmark. Kattegat. Endelave Havn. Maintenance Work.**

References NM-109-25 - (repetition with new time).

Details **Until beginning March 2025**, maintenance works are being carried out in an area bounded by a line through positions 1) - 4).

|    |                              |
|----|------------------------------|
| 1) | 55° 45.723'N - 010° 16.380'E |
| 2) | 55° 45.718'N - 010° 16.316'E |
| 3) | 55° 45.771'N - 010° 16.306'E |
| 4) | 55° 45.775'N - 010° 16.368'E |

The work is being carried out from shore and from rafts.

Mariners are requested to pass with caution.

Charts 114 (INT 1377), 112 (INT 1380), 102 (INT 1302).

Publication [www.danskehavnelods.dk](http://www.danskehavnelods.dk).

(NCC Danmark A/S 24 February 2025. Published 25 February 2025)

\*

NM-139-25

**Denmark. Kattegat. Anholt Wind farm. Buoyage withdrawn.**

References NM-020-25 - (cancelled).

Details

|    |                              |   |
|----|------------------------------|---|
| 1) | 56° 35.751'N - 011° 08.490'E | yellow ODAS-buoy with cross topmark, FI(5)Y.20s |
| 2) | 56° 35.791'N - 011° 08.649'E | yellow ODAS-buoy with cross topmark, FI(5)Y.20s |

Charts 124, 102 (INT 1302), 100.

(Ørsted 26 February 2025. Published 26 February 2025)

\*

NM-122-25

**Denmark. Kattegat. Skagen S. Lost anchor.**

Details An anchor has been lost in the mentioned position.

- 57° 39.148'N - 010° 38.591'E.

Charts 101 (INT 1301), 100, 92 (INT 1300).

(MAS 20 February 2025. Published 20 February 2025)

**Denmark - The Liim Fiord**

\*

NM-140-25

**Denmark. The Liim Fiord. Hals Havn. Light lit.**

References NM-019-25 - (cancelled).

Details

- 56° 59.404'N - 010° 18.437'E, Hals E front light.

Charts 106 (INT 1382), 122, 101 (INT 1301).

Publication [www.danskehavnelods.dk](http://www.danskehavnelods.dk).

(Port of Aalborg 26 February 2025. Published 26 February 2025)

## Denmark - The North Sea

★

NM-126-25

### Denmark. The North Sea. Thorsminde Tange S. Coastal reinforcement completed.

References NM-038-25 - (cancelled).

Details

|    |                              |
|----|------------------------------|
| 1) | 56° 20.428'N - 008° 06.699'E |
| 2) | 56° 21.779'N - 008° 06.620'E |

Charts 93 (INT 1044).

(Rohde Nielsen A/S 20 February 2025. Published 21 February 2025)

★

NM-136-25 (T)

### Denmark. The North Sea. Platform Hejre. Navigational lights unreliable.

Details **Until further notice**, the navigational lights on the platform in the mentioned position are unreliable.

- 56° 14.812'N - 003° 57.539'E, Hejre.

Charts 93 (INT 1044).

(INEOS 3 February 2025. Published 25 February 2025)

## Greenland - W-coast

★

NM-123-25

### Greenland. W-coast. Sisimiut. Lights changed.

Details The lights in positions 1) - 2) has been moved to positions 3) - 4) and changed as stated.

|    |                              |   |
|----|------------------------------|---|
| 1) | 66° 56.396'N - 053° 41.591'W | Tømmermandsøen W Ankermærke rear light Oc.G.5s  |
| 2) | 66° 56.408'N - 053° 41.593'W | Tømmermandsøen W Ankermærke front light Oc.G.7s |
| 3) | 66° 56.394'N - 053° 41.594'W |   |
| 4) | 66° 56.409'N - 053° 41.597'W |   |

Position 3:

|                |  |
|----------------|--|
| Light No.      | 7532a  |
| Name           | <b>Sisimiut W ankermærke rear light (Tømmermandsøen)</b> |
| Position       | 66° 56.394'N - 053° 41.594'W                             |
| Characteristic | <b>Iso.G.4s</b>  |

Position 4:

|                |   |
|----------------|---|
| Light No.      | 7532b   |
| Name           | <b>Sisimiut W ankermærke front light (Tømmermandsøen)</b> |
| Position       | 66° 56.409'N - 053° 41.597'W                              |
| Characteristic | <b>Iso.G.2s</b>   |

Note The positions refer to WGS-84 Datum.

Charts 1430, 1415, 1412, 1400, 1000.

Publication Danish List of Lights (Dansk Fyrliste) no 7532a (L5706.1), 7532b (L5706).

(Published 21 February 2025)

\*

NM-127-25

**Greenland. W-coast. Sisimiut. Light changed.**

Details The light in position 1) has been moved to position 3) and changed as stated.

|    |                              |                           |
|----|------------------------------|---------------------------|
| 1) | 66° 56.453'N - 053° 40.715'W | Holsteinsborg Dækmoie F.R |
| 2) | 66° 56.453'N - 053° 40.714'W |                           |

Position 2):

|           |   |
|-----------|---|
| Light No. | 7525                                    |
| Name      | <b>Sisimiut Dækmoie (Holsteinsborg)</b> |
| Position  | 66° 56,453'N - 053° 40,714'W            |

Note The positions refer to WGS-84 Datum.

Charts 1430, 1415, 1412, 1400, 1000.

Publication Danish List of Lights (Dansk Fyrliste) no 7525 (L5712)

(Maritim Consult 9 July 2024. Published 21 February 2025)

\*

NM-130-25

**Greenland. W-coast. Qeqertarsuaq. Lights changed.**

Details The lights in positions 1) - 2) has been moved to positions 3) - 4) and changed as stated.

|    |                              |                               |
|----|------------------------------|-------------------------------|
| 1) | 69° 14.759'N - 053° 32.568'W | Godhavn Indre rear light F.G  |
| 2) | 69° 14.819'N - 053° 32.718'W | Godhavn Indre front light F.G |
| 3) | 69° 14.755'N - 053° 32.549'W |                               |
| 4) | 69° 14,814'N - 053° 32,667'W |                               |

Position 3:

|                 |  |
|-----------------|--|
| Light No.       | 7686a  |
| Name            | <b>Qeqertarsuaq indre rear light (Godhavn)</b> |
| Position        | 69° 14.755'N - 053° 32.549'W                   |
| Range           | 4 nm   |
| Operating hours | <b>All year from sunset to sunrise</b>         |

Position 4:

|                 |   |
|-----------------|---|
| Light No.       | 7686b   |
| Name            | <b>Qeqertarsuaq indre front light (Godhavn)</b> |
| Position        | 69° 14,814'N - 053° 32,667'W                    |
| Range           | 4 nm  |
| Operating hours | <b>All year from sunset to sunrise</b>          |

Note The positions refer to WGS-84 Datum.

Charts 1550, 1551, 1552, 1511, 1500, 1000.

Publication Danish List of Lights (Dansk Fyrliste) no 7686a (L5924.1), 7686b (L5924).

(Published 21 February 2025)

\*

NM-128-25

**Greenland. W-coast. Qeqertarsuaq. Quersuup Nuua. Lights changed.**

Details The lights in positions 1) - 2) has been moved to positions 3) - 4) and changed as stated.

|    |                              |   |
|----|------------------------------|---|
| 1) | 69° 15.089'N - 053° 32.498'W | Godhavn Ankermærke rear light F.R                 |
| 2) | 69° 15.069'N - 053° 32.568'W | Godhavn Ankermærke front light F.R                |
| 3) | 69° 15.032'N - 053° 32.512'W | Qeqertarsuaq ankermærke rear light (Godhavn)F.R   |
| 4) | 69° 15.009'N - 053° 32.597'W | Qeqertarsuaq ankermærke front light (Godhavn) F.R |

Position 3:

|           |   |
|-----------|---|
| Light No. | 7692a   |
| Name      | <b>Qeqertarsuaq ankermærke rear light (Godhavn)</b> |
| Position  | 69° 15.032'N - 053° 32.512'W                        |
| Range     | 3 nm  |

Position 4:

|           |  |
|-----------|--|
| Light No. | 7692b  |
| Name      | <b>Qeqertarsuaq ankermærke front light (Godhavn)</b> |
| Position  | 69° 15.009'N - 053° 32.597'W                         |
| Range     | 3 nm   |

Note The positions refer to WGS-84 Datum.

Charts 1550, 1551, 1552, 1511, 1500, 1000.

Publication Danish List of Lights (Dansk Fyrliste) no 7692a (L5928.1), 7692b (L5928).

(Maritim Consult 9 July 2024. Published 21 February 2025)

\*

NM-124-25

**Greenland. W-coast. Uummannaq. Lights changed.**

Details The lights in positions 1) - 2) has been moved to positions 3) - 4) and changed as stated.

|    |                              |                                  |
|----|------------------------------|----------------------------------|
| 1) | 70° 40.561'N - 052° 07.388'W | Umanak Havn rear light Iso.G.4s  |
| 2) | 70° 40.553'N - 052° 07.361'W | Umanak Havn front light Iso.G.2s |
| 3) | 70° 40.559'N - 052° 07.389'W |                                  |
| 4) | 70° 40.551'N - 052° 07.358'W |                                  |

Position 3:

|                 |                                  |
|-----------------|----------------------------------|
| Light No.       | 7772a                            |
| Name            | <b>Uummannaq bagfyr (Umanak)</b> |
| Position        | 70° 40.559'N - 052° 07.389'W     |
| Range           | 5nm                              |
| Operating hours | 24H                              |

Position 4:

|                 |                                       |
|-----------------|---------------------------------------|
| Light No.       | 7772b                                 |
| Name            | <b>Uummannaq front light (Umanak)</b> |
| Position        | 70° 40.551'N - 052° 07.358'W          |
| Range           | 5nm                                   |
| Operating hours | 24H                                   |

Note The positions refer to WGS-84 Datum.

Charts 1650, 1000.

Publication Danish List of Lights (Dansk Fyrliste) no 7772a (L5951.1), 7772b (L5951).

(Maritim Consult 9 July 2025. Published 21 February 2025)



\*

NM-125-25

**Greenland. W-coast. Upernavik. Lights changed.**

Details The lights in positions 1) - 2) has been moved to positions 3) - 4) and changed as stated.

|    |                              |                           |
|----|------------------------------|---------------------------|
| 1) | 72° 47.367'N - 056° 08.412'W | Upernavik rear light F.R  |
| 2) | 72° 47.373'N - 056° 08.479'W | Upernavik front light F.R |
| 3) | 72° 47.366'N - 056° 08.415'W |                           |
| 4) | 72° 47.373'N - 056° 08.478'W |                           |

Position 3:

|                 |                              |
|-----------------|------------------------------|
| Light No.       | 7788a                        |
| Position        | 72° 47.366'N - 056° 08.415'W |
| Range           | 5nm                          |
| Operating hours | 24H                          |

Position 4:

|                 |                              |
|-----------------|------------------------------|
| Light No.       | 7788b                        |
| Position        | 72° 47.373'N - 056° 08.478'W |
| Range           | 5nm                          |
| Operating hours | 24H                          |

Note The positions refer to WGS-84 Datum.

Charts 1650, 1710, 1600, 1000.

Publication Danish List of Lights (Dansk Fyrliste) no 7788a (L5970.1), 7788b (L5970).

(Maritim Consult 9 July 2025. Published 21 February 2025)

## Announcements, etc.

---

\*

NM-121-25

### Denmark. Notice to all tanker vessels.

Details As of 24 February 2025, the Danish Authorities will hail tankers with a draft exceeding 11m if it is assessed, that the tanker will pass through the Great Belt, kindly requesting them to voluntarily submit their Civil Liability Convention (CLC) Certificates of Insurance for oil pollution damage. A digital copy of the CLC can be sent to: [mas@sok.dk](mailto:mas@sok.dk).

(DEMA 20 February 2025. Published 20 February 2025)

---



**DANISH MARITIME AUTHORITY**